



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Round Pendant Series



Upgrade your space with this versatile 18" or 36" LED Round Pendant Light, designed for modern commercial lighting. It features selectable wattage and adjustable color temperatures, allowing you to easily customize brightness and light appearance. An integrated lens provides smooth, evenly diffused light with reduced glare. The fixture includes a 10" suspension canopy kit and 10-foot 5-wire power feed cable for easy installation, making it ideal for offices, retail spaces, lobbies, and other contemporary interiors.

Specifications

CRI	>80	Ratings & Certifications	UL, IP20
Light Source	LED	Beam Angle	114°
Dimmable	0-10v	Housing	Aluminum
Color Temperature	Selectable 2700/3000/3500/4000/5000K	Mounting Options	Suspended, Surface, Rod Kit
Wattage	Selectable 15 – 120W	Operating Temperature	-40°F to 104°F
LPW	125-130 Lm/W	Lumens	1,950 – 15,600
Voltage	120-277V	Lifespan	50,000 Hours
Finish	Black or White	Warranty	5 Years





INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Order Information

RDPND Series				Ex: WL-RDPND36-120W-5WS-5CCT-DM010-BK	
Series	Size	Wattage	Color Temperature	Dimming	Housing
WL-RDPND Round Pendant	18 18" Diameter	35W-5WS 15/20/25/30/35W Selectable	5CCT 27/30/35/40/50K Selectable	DM010 0-10V Dimmable	BK Black
	36 36" Diameter	120W-5WS 40/60/80/100/120W Selectable			WH White

Mounting

10" Canopy Kit (Included)



Rod Pendant Kit



Surface Mount Kit



Performance Metrics

Item	Wattage	Lumens	Efficacy	CRI
WL-RDPND18-35W-5WS-5CCT-DM010-[BK,WH]	15/20/25/30/35W	1950-4550	100 Lm/w	>82
WL-RDPND36-120W-5WS-5CCT-DM010-[BK,WH]	40/60/80/100/120W	5200-15600	100 Lm/w	>82



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Dimensions

Item	Diameter	Height	Weight
WL-RDPND18-35W-5WS-5CCT-DM010-[BK,WH]	17.72"	3.15"	6.62 lbs.
WL-RDPND36-120W-5WS-5CCT-DM010-[BK,WH]	35.43"	3.15"	24.25 lbs.

