



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Gooseneck Series



Illuminate signage, storefronts, and architectural features with the WareLight Gooseneck LED Light Module, a versatile and durable lighting solution designed to perform in all conditions. With selectable wattage options and color temperature, this fixture provides efficient, customizable lighting tailored to your needs. The integrated dusk-to-dawn photocell ensures energy-saving automation by activating the light only when needed. Choose from a classic warehouse shade or a more focused dome shade to match your aesthetic. The fixture is also available with four distinct gooseneck arm options, offering flexibility in mounting style and reach—perfect for both modern and traditional installations.

Specifications

CRI	>80	Ratings and Certifications	UL, FC, IP65
Light Source	LED	Beam Angle	Adjustable
Voltage	100-277V	Mounting	Gooseneck Mount (4 Options)
Color Temperature	30/40/50K Selectable	Operating Temp	-40°C to 45°C (-40°F to 113°F)
Wattage	15/20/25W Selectable	Lifespan	50,000
LPW	130 Lm/W	Housing/Finish	Steel/Black
Lumens	1950/2600/3250	Warranty	5 Year









INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____



Order Information

Gooseneck LED Series				EX: WL-GNLED-25W-3WS-3CCT-DM010-BK-WHSBK-35ARMBK		
Series	Wattage	Color Temperature	Dimming	Color	Shade	Gooseneck
WL-GNLED Gooseneck Series	25W-3WS 15/20/25W Selectable	3CCT 30/40/50K Selectable	DM010 0-10V Dimmable	BK Black	WHSBK 12" Warehouse Shade, Black	27ARMBK 27" Arm, Black
					DOMBK 10" Dome Shade, Black	35ARMBK 35" Arm, Black
						26ARMBK 26" Arm, Black
						24ARMBK 24" Arm, Black

Mounting Options

Gooseneck	Part #	Description
	WL-GNLED-ARM-27-BK	WareLight Gooseneck LED, 27" Arm (26.51" x 5.31" x 8.09"), Black
	WL-GNLED-ARM-35-BK	WareLight Gooseneck LED, 35" Arm (34.65" x 5.31" x 8.25"), Black
	WL-GNLED-ARM-26-BK	WareLight Gooseneck LED, 26" Arm (26" x 5.31" x 29.5"), Black
	WL-GNLED-ARM-24-BK	WareLight Gooseneck LED, 24" Arm (23.5" x 4.9" x 24.25"), Black

Shade Options

Shade	Part #	Description
	WL-GNLED-SH-WHS-BK	WareLight Gooseneck LED, Warehouse Shade ("11.85 x 2.80"), Black
	WL-GNLED-SH-DOM-BK	WareLight Gooseneck LED, Dome Shade ("10.12 x 5.37"), Black




INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Shades


Warehouse Shade

WL-GNLED-SH-WHS-BK



Dome Shade


WL-GNLED-SH-DOM-BK



Goosenecks


24" Arm

WL-GNLED-ARM-24-BK




26" Arm

WL-GNLED-ARM-26-BK)




27" Arm

WL-GNLED-ARM-27-BK



35" Arm

WL-GNLED-ARM-35-BK






INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Warehouse Shade + Gooseneck Options


24" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-WHSBK-24ARMBK




26" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-WHSBK-26ARMBK




27" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-WHSBK-27ARMBK



35" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-WHSBK-35ARMBK






INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Dome Shade + Gooseneck Options


24" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-DOMBK-24ARMBK




26" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-DOMBK-26ARMBK




27" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-DOMBK-27ARMBK



35" Arm

WL-GNLED-25W-3WS-3CCT-DM010-BK-DOMBK-35ARMBK





INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Features

3 CCT & Wattage Selectable



270° Vertical Rotation



Integrated Photocell



IP65 for Wet Location Use

